

One source for new and refurbished veterinary equipment solutions.

CALL TODAY FOR A QUOTE!

1-800-980-1282 dreveterinary.com

LIKE, FOLLOW, AND CONNECT











A leader in veterinary research equipment for more than 30 years

Veterinary facilities rely on medical equipment from DRE to provide quality care to their patients. Your facility can save time and money by turning to us for all the new and refurbished veterinary equipment you need.

DRE Veterinary has more than 30 years of experience in the veterinary equipment industry. Since we began in 1984, we have grown into an established and knowledgeable equipment provider that serves North America's top veterinary facilities and organizations.

DRE Veterinary will soon adopt the new name Avante Animal Health, a division of Avante Health Solutions. Avante is a growing global brand that will add a host of new products and services to our portfolio.

As part this exciting new phase, we recently finished construction on our new headquarters. The new space measures nearly 70,000 square feet and features an ultra-modern warehouse and state-of-the-art biomedical production and administrative office spaces. Our new headquarters provide enough space for future expansion as we continue to grow.

Browse online at www.dreveterinary.com

Shop online for new and professionally refurbished equipment, veterinary supplies and accessories from top brands and manufacturers.

At **dreveterinary.com**, you can request a quote for the equipment you need. We can ship to nearly any destination in the world!





Avante Animal Health is a GSA Advantage Contract Holder

Select DRE products are available!

Contract Number: V797P-4385B Federal I.D. Number: 47-4682356

Call 1-800-980-1282 for information

Vaporizer Cleaning and Calibration Maintenance Services

Our skilled biomedical staff offers superior pricing and a quick turnaround.

We also have a wide selection of new and professionally refurbished vaporizers from Penlon, Ohmeda, and Dräger.



Hippo Manager

Veterinary Practice Management Software

Affordable, easy-to-use practice software helps veterinarians manage their offices and patient records

- > Medical histories and charting for appointments, reminders, billing, user tasks and more.
- **>** Appointment scheduler gives you the ability to add resources, export data for reminder calls or postcards and much more.
- Integrated point of sale system includes transactions, inventory, gift cards, discounts, email receipts and more.
- > Learn more about Hippo Manager at dreveterinary.com!



Hippo Manager

is cloud based.

so information

can be accessed



VetNow

Cloud Based Virtual Care

Introducing telemedicine to veterinary facilities

Call 1-800-980-1282 for information

















DRE Crystal 4P
Digital Ultrasound

- 4 Anesthesia
- 8 Anesthesia Ventilators
- 9 Autoclaves
- 9 Centrifuges
- 10 Defibrillators
- 11 Dental Care
- 12 Electrosurgical
- 14 Endoscopy
- 15 Imaging
- 16 Medical Gas
- 17 Microscopes
- 18 Monitors
- 22 Monitors Telemetry
- 24 Procedure Lights
- 27 Pumps
- 28 Respiratory Ventilators
- 29 Stainless Steel
- 32 Surgery Tables
- 36 Ultrasounds
- 37 Warmers
- 39 X-Rav
- 42 Supplies & Accessories



DRE Premier XP

Compact anesthesia system offers true mobility throughout your facility

0.1 – 4 lpm oxygen flowmeter with rotary float and large, easy to read scale.

1,500 mL CO₂ absorber designed for easy and fast replenishing of soda lime.

New momentary closed feature incorporated into the pop-off valve.

Recessed flush valve prevents accidental activation.

Quick-connect fresh gas outlet for easy and secure switching between breathing circuits.

Includes 5-year manufacturers warranty.

Web ID 9838

FIND IT FAST at www.dreveterinary.com when you search by Web ID number



MRI-Compatible Configuration

with Penlon Nuffield 200 Ventilator, Penlon **Vaporizer and Circle System**

Selectatec compatible manifold makes installing the vaporizer quick and easy.

Patient circuit with 2-liter and 3-liter bags.

Available with MRI-compatible vaporizer and Optional Deeper Canister Base.

Web ID 369



Elite/Coaxial

For small animals and rebreathing anesthesia

0.1 to 4 lpm oxygen flowmeter.

Quick-close, pop-off valve.

Coaxial breathing circuit reduces heat loss and helps humidify inspired gas.

Web ID 371



Bain Circuit Adaptor (non-rebreathing)



E-tank Holder (single and dual)



Scavenger Interface (active and passive)



Circuit Alarm



Top-Shelf Attachment



DRE University Pro

Sophisticated anesthesia workstation adapts to the needs of your facility

0.1 to 4 lpm oxygen flowmeter, coaxial or conventional.

CO₂ absorber, dual vaporizer manifold with interlocking capability, recessed flush valve, rotary float, and dual canister for longer cases.

Optional N₂O, medical air flow meters. N₂O tank holder, bain circuit adaptor. ventilator bracket with shelf and mounted IV pole.

Web ID 12257



Ask about custom color options!



DRE Transport 5000 Plus

A portable unit, designed for space saving and small facilities

Compact for mobility with integrated safety functions.

O₂, flush valve, vaporizer and O₂ hose. Optional bain circuit adaptor available.

Web ID 12382

Slide Top Induction



Close Top Induction



Cone/Face Masks



Optional carrying case available



DRE Compact Mini

Small, easy-to-operate unit with an optional carrying case.

O₂ flow meter, new or refurbished vaporizer and O₂ hose.

Available with rodent nose cone and rodent circuit, or t-piece adaptor with shut off valve for 1 or 2 patients.

Web ID 9280

Non-rebreathing systems designed for laboratories and research facilities that anesthetize small animals

DRE Compact 150


Includes O₂ flow meter, O₂ flush valve, new or refurbished vaporizer and O₂ hose.

Available with rodent nose comb and a rolling stand.

Customizable with multiple flowmeters for anesthetizing multiple animals.







DRE Titan XL

Large animal anesthesia system for equine, bovine and a variety of zoological animals

Frequency control variable from 0 to 99 breaths per minute in 1 BPM increments.

5 - 15 liters of tidal volume available.

Ventilator is time cycled, electronically controlled and pneumatically-powered.


Inspiratory flow controlled through operator adjustable regulator.

Touch-control tidal volume adjustment.

Vapor exclusion system protects from both vaporizers delivering agent. One is in use, while the other shuts off.

Optional scavenger interface, Foal absorber, Extended inspiratory and expiratory ratios Large animal sized endotracheal tubes available.

Web ID 534



3-year warranty!

sold separately

DRE Integra SL

Compact system for operating rooms where space is at a premium

Electronic flow display and conventional flowmeter options are available.

6 ventilation modes.

New top shelf with secure GCX mounting system for patient monitors.

Territory-specific electrical outlet options.

Selectatec compatible back bar (1 or 2 stations).

Illuminated work space with large capacity drawer units.

GCX compatible aluminium uprights for additional accessory mounting, Integrated CO₂ absorber and bellows unit with ventilator interface.

MRI-Compatible version available.

Includes the DRE AV-S Touchscreen Anesthesia Ventilator



Datex-Ohmeda S/5 Aespire

Enhanced monitor integration capabilities with our Datex-Ohmeda Anesthesia Monitor and Compact Anesthesia monitor.

Lightweight and compact for easy maneuverability

Optional integrated auxiliary O₂ flowmeter and suction control

Advanced Breathing System (ABS™)

Web ID 11649



Certified Refurbished



Dräger **Fabius GS**

Combines advanced ventilation technology with reliable breathing system components

Proven ventilation versatility

Electric gas-flow measurement

Compact, convenient breathing system

Industry-standard anesthesia machine backed by manufacturer

Fully-loaded models come with volume control, pressure control and support

Web ID 11644

Nuvo Lite Mark 5 **Oxygen Concentrator**

Efficient and easy to use

Liter Flow: 0.125 to 5 LPM

Oxygen Concentration: 90% (+6.5% / -3%) at 5 LPM

Onboard oxygen purity alarm.

Built on the reliable Nuvo Platform.

Lockable flow control valve.

Web ID 12779



Anesthesia **Supplies & Accessories**

Anesthesia Masks and

Diaphragms Individual and complete sets small, medium and large (feline and canine), and rodent

CO₂ Absorbent

2.5-lb. prepackaged canisters, bags, and 5-gallon buckets



O₂ Fuel Cells

Dräger, DRE, Ohmeda, Siemens, Datascope and Criticare



Circuits and Bags Many styles



Shop dreveterinary.com for all your veterinary supply needs!



Vaporizers

New and recalibrated

Our selection includes Ohmeda Tec 4 & Tec 5, Penlon Sigma Delta, and Dräger 19.1 & Vapor 2000

Isoflurane and Sevoflurane



DRE Stainless Steel Gurney with Anesthesia Machine

Combination of stainless steel gurney with optional DRE Premier XP Anesthesia machine

16-gauge stainless steel.

Two 5" locking casters.

Available in custom sizes with single or dual e-tank holders.

DRE Premier XP:

0.1 to 4 oxygen flowmeter with rotary float.

1500 ml CO₂ absorber designed for easy and fast replenishing of soda lime.

Web ID 10105



DRE Puma V6

Color touchscreen display and microcomputer controls

Pneumatically driven anesthesia ventilator for use with large and small animals.

Includes easily interchangeable large and small bellows.

O₂% airway gas monitoring.

Web ID 12720



Hallowell Ventilators

Available models:

Hallowell EMC 2002 Pro with and without Adjustable I:E Ratio

Pressure limited: Increases patient safety by limiting the maximum working pressure that can be adjusted to a pressure range of 10 to 60 cmH₂O.

Web ID 12706



Penlon Nuffield 200

MRI-compatible anesthesia ventilator

Simple controls: A wide range of settings enable a constant flow during the inspiratory phase and infinite variability of I:E settings.

Available with a circle system and/or Newton Valve for

Web ID 48

DRE Hydrotherm SG

Operates easily, safely, and reliably

Screen display of parameters and conditions during processing.

Adjustable sterilization times.

Successive sterilization process option keeps the autoclave warm until it is opened, allowing for reduced warming time between sterilizations.

Equipped with a water quality check system.

Web ID 13180



Tuttnauer 3870EA

Large Capacity Automatic Autoclave

Closed-door active drying system to maintain sterility and efficiency.

Program parameters can be changed and stored.

Web ID 114



Tuttnauer EZ9

Automatic Autoclave

Closed door active drying system to maintain sterility and ensure efficient drying of packs and pouches.

High efficiency air pump.

Customizable, storable program parameters.

Web ID 420



the ventilation of small patients.





DRE Universal Centrifuge

0 - 13,000 rpm and 8 interchangeable rotors available.

LED or mechanical timer.

Capacity: 24 capillary.

Web ID 120



DRE Microhematocrit Centrifuge

0 - 13,000 rpm, safety latch and an inner switch shut-off.

Safety power shutout lid.

Capacity: 24 slides.

Web ID 118



DRE Standard Centrifuge

Mechanical 60 minute timer.

Capacity is for eight 15 mL tube rotor placement operating at 0 – 45,000 rpm.



Physio-Control Lifepak 20

Defibrillator/Monitor

CprMAX™ technology.

Easily converts to manual mode.

Paddle choices: Standard, pediatric, and/or sterilizable; internal and external.

Compact and lightweight for easy carrying and versatile use.

Highly intuitive for quick, effective AED use

Optional Pacing, AED, and SpO₂ capabilities.

Web ID 11385





Philips Heartstart XL

Biphasic Defibrillator with ECG Monitoring

Combination manual device with automated external defibrillator capabilities.

ECG monitoring with pads or electrodes.

SMART Biphasic Technology.

Charges to highest energy level, 200 Joules, in less than 3 seconds.

Impedance Compensation - Measures chest impedance and delivers a low-energy shock based on patient's unique physical requirements.

Web ID 12103



Zoll M Series

A Model for Every Application – One User Interface

Easy handling and optimal viewing while the built-in AC power and battery charger doesn't add size or weight.

Features consistent, straight forward controls and intuitive menus

Zoll proprietary Rectilinear Biphasic™ waveform with its lower energy and current and the 40-msec Rectilinear Pacing waveform provides superior efficacy while optimizing patient safety.

Offers superior capture at lower mean thresholds, reducing muscle artifact and ensuring more patient comfort and better patient tolerance.

Web ID 12248





High speed veterinary dental unit

All-in-one unit lets you easily switch from polishing to scaling to cutting.

Surgical stainless steel, heat-treated tips glide smoothly across tooth surfaces.

Optional fiber optics system with high-speed handpiece.

Tips gently cool and lubricate teeth, and wash away dislodged debris.

Other HighDent dental unit

models are available

Built-in 25K ultrasonic scaler maintains optimum frequency.

Web ID 1512



A complete veterinary dental system

Suction with Foot Pedal Control.

Automatic Handpiece Selection.

110V Oil Compressor.

Air/Water Syringe with 360° Tip Rotation.

The Quattro Plus is also available as a wall mount.

Web ID 13204



Son-Mate II

Water line with auick disconnect attached.

From 200 RPM high torque micro-motor.

Web ID 9674

Scale-Aire Mini

Connects to an nitrogen tank easily with NO costly compressor required.

Surgical stainless steel, heattreated tips glide smoothly across the tooth.

Web ID 9674

Ultrasonic Dental Scaler

Alternate from scaling to polishing at the touch of a switch.

Water line with filter and quick disconnect.

Perform curettage, deep scaling of heavy calculus and stain removal.

Transducer (stack) inserted in the handpiece.









DRE Citadel EZ

Ideal for light to moderate surgical procedures

High frequency, 120-watt electrosurgical unit ideal for light to moderate surgical procedures.

Multi-functional ESU operates in the following modes: Pure Cut, Blend, Forced Coag, Soft Coag, and

Neutral electrode connection is constantly monitored for safe operation.

Control the monopolar handpiece output for complete attention to the surgical field.

Web ID 12597



Easily-programmable electrosurgical unit

180-watt power supply with innovative tissue feedback technology.

Patient return electrode monitoring and various cut and coagulation settings.

Web ID 12597



DRE Citadel 300

Easily adapts to a variety of settings

Stable, 300-watt power supply over a wide range of tissue with innovative tissue feedback technology.

Navigate 30 cut and coag settings with the easily-programmable interface for guick setup.

Safety-diagnostic protocols help to ensure all parts and accessories are functioning properly.

Spray coagulation function provides homogenous, efficient coagulation over a large area.

Web ID 12598











and Cords





DRE Citadel X3

A versatile, highly-adjustable electrosurgical unit

Easily keep pace with any dynamic operating room environment.

Internet connectivity and data logging capabilities.

Web ID 12646

DRE Citadel EVS

Provides vessel sealing and bipolar electrosurgery capabilities

Internet connectivity and data logging capabilities.

Easily keep pace with any dynamic operating room environment.

Web ID 12701



Valleylab Force FX

For bipolar and monopolar procedures

Power for cutting, desiccating, and fulgurating tissue.

Improved safety/dependability.

Web ID 790



Valleylab Ligasure

Vessel sealing system provides permanent vessel occlusion

Revolutionary technology replaces almost all other hemostatic tools — fuses vessel walls to create a permanent seal.

Isolated output configuration.

Web ID 9808





ValleyLab Force Triad

First-of-its kind integrated solution for open and laparoscopic electrosurgical procedures

All-in-one unit is compatible with conventional electrosurgical instruments and all current and new LigaSure instruments.

Combines 3 different tissue effects: monopolar, bipolar and vessel sealing.

Web ID 12559



Certified Refurbished



Stryker Laparoscopy Tower

Customizable, all-in-one units for the visualization and documentation of laparoscopy procedures

Available with a mobile cart (like the one shown at left) and essential laparoscopy components.

Also gives you capacity for arthroscopy and other rigid endoscopy procedures.

Web ID 9904

Stryker 1488 HD

HD 3-chip camera with 9 surgical specialty settings designed to provide a clear, bright image.

Web ID 13273





Stryker L9000

400-watt LED bulbs delivers bright, crisp light and long life expectancy

Web ID 13272



Ecotron Anyview Series C-Arm

Mobile imaging with the right features and price for the veterinary industry

9 or 12-inch High Resolution Image Intensifier.

Reduced dosage with pulse frequencies of 8, 15 or 30 Hz.

Produces up to 30 frames per second in any imaging mode.

Intelligent Dose Reduction automatically reduces dosage without sacrificing image quality.

Virtual collimator image guides can reduce unnecessary exposure.

Web ID 12847



GE OEC 9900 Elite C-Arm

Web ID 12914



GE OEC 9800 C-Arm

Web ID 12888



Olympus EVIS EXERA III

Provides state of the art imaging quality and user-friendly features

Pre-freeze function automatically buffers a continuous. rapid series of procedural images and saves the sharpest renderings, saving time and frustration.

Advanced compression technology allows extended recording time.

Web ID 12796



Olympus CLV-180





Olympus GIF-N180 Video Gastroscope Large, sharp images

Olympus CV-180

Certified

Refurbished



GE OEC 6800 Mini C-arm

Web ID 12911



Fluoroscan Insight 2 Mini C-Arm

Web ID 13120



GE Signa HD 1.5T **MRI System**

Delivers simultaneous image reconstruction and acquisition



GE LightSpeed RT 16 CT Scanner

Effectively balances speed, coverage, dose, and resolution



Considered one of the world's leading CT scanners for cancer care.

> Provides16-slice acquisition with 20mm of coverage.



DRE Animal Health Division has the information, knowledge, and products to create, design or consult on Medical Gas layout in new clinics or existing facilities. We can help ensure that your clinic's design allows for an economical gas system.



DRE Automatic Digital Gas Manifold

Web ID 394



DRE Manual Gas Manifold

Web ID 9829



Medical Gas Alarm Panels

Web ID 396



MG0098 Remote Audio/Visual Alarm

Web ID 13149



DRE Vacuum/ Evacuation System

Web ID 327



Waste Gas Evacuation Ventilator/Blower

Web ID 9279



Superior outlets

Double O-ring seal that doesn't deform and leak when weight is added to the outlet front

Outlet is capable of supporting 10 lbs. at 2" without leaking

Outlets incorporate protective vinyl labels that are durable and scratch resistant



Custom hose drops available in any gas, any length, and any fitting



DISS



Chemetron



Ohmeda / Quick Connect

Medical Gas ittings & Hoses

DRE Compass LED

Combination of classic aesthetics and modern technology

6-Step magnification system.

LED lightsource Lux, life, Kelvin.

20W LED coaxial illuminator.

10x Wide Field Eyepiece (12.5x available).

250mm Objective Lens (200-400mm also available).

Counter-balanced pantographic arms design and tension control adjustable.

Integrated Video Camera.

Web ID 12340



Zeiss Opmi 6S-CFC

Zeiss optics: Sharp optical view; terrific depth of focus; inclined binocular with eyepieces; high resolution, internal motorized focus and zoom; bright red reflex.

Web ID 646



Zeiss Opmi Visu 200

Apochromatic optics provide brilliance, definition and contrast.

Maximum image quality, minimum eye fatigue.

Red reflex light is rich in contrast, low in reflections perfect for eye surgery.

Web ID 12870



EXC-120 Microscope Series

The Accu-Scope EXC-120 is a basic clinical microscope that features sharp, high-contrast objectives and ergonomic design.

Web ID 12840



Accu-scope Excelis HD Color Microscopy Camera

Web ID 12449

Accu-Scope Compound 3000 LED

Features infinity plan optical system, a 20mm field of view and a super-bright 3 watt LED illuminator to provide high contrast images with outstanding resolution.

Web ID 329

Accu-scope Excelis HDS Camera and Monitor System





DRE Waveline ECO

TFT color touchscreen provides a brighter screen, while using less power compared to LED screens.

Large storage function for NIBP measurement, alarm event, trend diagram/table review, etc.

Large font display to offer clear view of all vital signs.

High-resolution touchscreen monitor

Web ID 13211

Parameters: 3 or 5 lead ECG, Respiration, SPO₂, Temperature, Suntech NIBP

Optional: EtCO2, Nellcor SPO2, Suntech NIBP/IBP.



DRE Waveline Touch

Bright, easy to use, color touchscreen display with up to 8 adjustable waveforms.

Integrates with DRE Vetrec Telemetry systems.

Built-in battery and printer optional.

Multi-lead ECG monitoring with optional EtCO₂

Web ID 9460



Parameters: 3 or 5 lead ECG, Suntech NIBP, respiration, Nellcor or Masimo SpO₂, dual temperature and heart rate.

Optional: EtCO₂ (Sidestream or Mainstream), and Dual Invasive Blood Pressures.



Avante Verso

Multi-parameter monitor with adaptable user interface.

Easily adjust screen display, default settings, alarm limits, and manage up to 72 hours of detailed patient data.

Upgrade the Verso in the field for a variety of clinicial applications.

Versatile patient monitor with touchscreen and modular design

Web ID 13271

Parameters: NIBP, ECG with arrhythmia detection, Masimo SET ${\rm SpO_2},$ TEMP, and RESP.

Optional: EtCO2, Agent, IBP, Cardiac output.



DRE Waveline VS

10.1" Color TFT LCD Screen.

Suitable for feline, canine, and other animals.

Defibrillation and Electrosurgical Interference Protection.

Pitch Tone (Pulse-Tone Modulation).

Portable multi-parameter monitor

Web ID 12394

Parameters: 3 or 5 Lead ECG, SPO₂, Suntech Noninvasive Blood Pressure, Dual Temperature, and Respiration.

 $\mbox{Optional:}\ 2\mbox{-IBP, Philips Respironics CO}_2$ (Mainstream and Sidestream), and Thermal Recorder.

DRE Waveline Pro

Large (15"), touchscreen with high-resolution flat panel display.

Color-coded alarms, patient data entry, battery backup, graphical and tabular trending.

Integrates with DRE Veterec Telemetry Systems.

Touchscreen monitor available with EtCO₂, and 5-agent analysis

Web ID 2012

Parameters: 3 or 5 lead ECG with ST segment monitoring, Suntech NIBP, Nellcor or Masimo SpO₂, Dual Temperature, and Respiration rate.

Optional: Sidestream or mainstream $EtCO_2$, Dual Invasive Blood Pressures, built in Drager Anesthesia Gas Module (5-agents, Auto ID, FiO $_2$, N $_2$ O and $EtCO_2$) and optional built-in thermal printer.



DRE Waveline EZ

Graphical and tabular trending.

Advanced ST and arrhythmia detection.

Integrates with DRE Vetrec Telemetry Systems.

Simultaneous multi-lead ECG monitoring.

Portable touchscreen monitor

Web ID 9765



Parameters: 3 or 5 lead ECG, Suntech NIBP, respiration, Nellcor or Masimo SpO $_2$, dual temperature and battery backup.

Optional: EtCO2 and Dual Invasive Blood Pressures.



DRE Echo CO₂

5.7" high resolution display for easy reading.

Flexible configurations to meet different clinical needs.

Lightweight, portable design and user-friendly interface for easy operation.

Real-time parameters measurement display with trend table for easy reviewing.

Built-in rechargeable Lithium-ion battery for 10 hours continuous working.

Provides cost-effective SPO₂ and CO₂ monitoring with accuracy and durability

Web ID 10606



GE CARESCAPE B850

High-performance monitor

For use in the operating room or intensive care environments.

Displays 8 to 14 waveforms.

Integrated USB port.

Web ID 12730



Philips IntelliVue Monitors

Available models: MP50 and MP70

IntelliVue patient monitors combine portability and measurement flexibility to match the pace and unique needs of intermediate care environments

Web ID 12734



Dräger Vamos

Plus Anesthetic Gas Analyser

Anesthetic agents, CO₂ and Nellcor N₂O.

Can be upgraded to include all monitoring for all 5 anesthetic agents.

Web ID 12192

Monitoring Supplies & Accessories

ECG Supplies

3 or 5-lead ECG sets. esophageal probes, alligator clips, and electrodes

SpO₂ Probes and Sensors Nellcor, BCI. Ohmeda and more brands available



NIBP

Neonatal cuffs 1 – 5 Small/large animal cuffs

Invasive Blood Pressure Cables and transducers

Batteries For monitors &

Defibrillators



Printer Paper

For monitor and defibrillators



Shop dreveterinary.com for all your veterinary supply needs!

Masimo Radical 57

Versatile, handheld oximeter with a rugged, lightweight design

Helps reduce the risk of misdiagnosing unsuspected carbon monoxide poisoning.

Accurate SpO₂ and pulse rate measurements during the most difficult clinical conditions.

Assists clinicians in detecting potentially life-threatening acquired Methemoalobinemia.

Web ID 9842





Masimo EMMA II

Handheld Capnograph

Web ID 12361



DRE Waveline Nano-V2

Pulse Oximeter

Web ID 12562



Masimo Radical 7 Accurate and reliable SpO₂

Web ID 9831

DRE True ECG Advance

12-channel ECG

12.1" color touchscreen.

Review 120 seconds of ECG waveform. Web ID 9666





DRE TrueVET ECG-1

1-channel ECG

Accurate ECG monitoring in a portable package Web ID 12256



DRE True ECG Plus 6-channel ECG

Available with PC data management software Web ID 9667



DRE True ECG 12T

12-channel ECG

Automatic measurement and interpretation test Web ID 9665





"The DRE Vetrec makes cardiac monitoring easy and cost efficient by monitoring multiple patients at once without using multiple cage side units. The portable transmitters allow patients to move about freely.'

Leslie Wereszczak, LVMT, VTS

Small Animal ICU Supervisor, University of Tennessee College of Veterinary Medicine



Monitor multiple patients from a single location with the

DRE Vetrec NXT

Fully-configured telemetry system designed for emergency and critical care/ICU settings.

Seamless integration with wireless ECG transmitters and DRE Waveline multi-parameter monitors.

Provides auto charting; full disclosure (96 hours); auto-generation of alarm events; manual recording (ECG analysis); trends, charts and strips for arrhythmia; ECG data detection; and color waveforms.

Automatically compiles and archives user-selectable discharge reports.

With a networked system, you can e-mail discharge reports in PDF format.

Web ID 12967








Keep watch of up to 16 patients at once using waterproof ECG transmitters and DRE multi-parameter monitors!

Connect NXT transmitters directly to patients for ECG monitoring, or utilize DRE-brand patient monitors to view multiple parameters from the central station.

See pages 17-18 for more monitor options!





Easy-to-use graphical interface

Single, multi-lead

Independent lead wires

Operates on 2 AAA battery

The Vetrec NXT features split screen technology that allows you to review, edit and enter patient information while observing all patients in the system.



Frequency: Medical 608 MHZ

Waterproof

Flexible and durable

DRE Maxx Luxx LED 160

Exceptional 160,000 lux and a rich, adjustable color temperature

Built to last at a rated 50,000 hours.

160,000 lux output (14,800 foot candles).

Adjustable focusing and CRI.

Adjustable color temperature for optimizing tissue colors.

Web ID 12563



Single ceiling mount

Configurations



Dual ceiling mount

LCD touchscreen

control for easil

adjustable

DRE Maxx Luxx LED

Maximum brightness with extremely cool output for 50,000 hours

Superb color temperature of 4,300° Kelvin.

Wide range mechanical 5-stage dimming.

130,000 lux output at 1 meter.

6.5" - 9" adjustable pattern.

Web ID 12160





Dual ceiling mount



Monitor/Camera combination

DRE Vision LED

Provides unsurpassed longevity and flexibility

Configurations

50.000-hour rated LED life.

100,000 lux output at 1 meter.

4,300° Kelvin color temperature.

Web ID 9830



Mobile system



Single wall mount



Single ceiling mount



Efficient LED

lights provide

low heat

Dual ceiling mount

DRE SLS 9000 Plus

Bright, consistent illumination

Maximum output rated at 140,000 Lux.

Rated for 50,000 hours of LED life.

Expertly engineered design makes it easy to position and adjust light heads for any surgical

LCD touch screen operation measures illumination intensity, color temperature and Chromogenic index.

Web ID 12721



Available as a single or dual head ceiling mount



DRE Vision EX5

75,000 lux output perfect for small procedures

Extremely long life at a rated 50,000 hours.

4,300° Kelvin color temperature.

Extremely cool output — lowest possible heat.

3-stage dimming.

Web ID 12524





Single wall mount

Single wall mount



Single ceiling mount



Dual ceiling mount

DRE Vista LED

Low energy, low heat, high efficiency

50,000 lux of homogenous light output at 1 meter.

4,300° Kelvin color temperature at 24"(61 cm) distance.

Life rating of 50,000 hours.

Mobile system

2-stage dimming









Single ceiling mount



Dual ceiling mount





DRE SLS 2500 LED

Dimming knob located on the side of the light head for quick and easy adjustments.

Color temperature close to natural sunlight with 3,500 K ~ 5,000 K.

Light and strong nova alloy arm allows easy and convenient positioning.

60,000 lux output at 1 meter.

Web ID 12379





DRE Vista Flex LED

Cost-saving, energy-efficient LED bulb produces up to 50,000 hours of illumination.

Provides a color temperature of 5,300 K.

Light produces 70,000 Lux at an 8" working distance.

Control panel features intuitive controls and 2 handles for easy maneuverability.

Web ID 12755

Available in a variety of mounting options



Shadowless light with 90,000 lux output

50.000-hour rated LED life.

Color temperature of 3,500°- 5,000° Kelvin.

Web ID 12349



DRE Xavier X

With a bright, shadow-free light, the DRE Xavier X guarantees accuracy

LED light source produces less heat than traditional halogen headlights.

Color temperature of 5000K for bright, shadow-free light.

Headlight can be used while charging.

Lightweight and comfortable for all surgical applications.

Adjustable spot size and brightness control allows for viewing tissue characteristics without distortion.

Smart design is convenient for mobile diagnosis.

Web ID 13174



DRE Avanti NXT3

Comprehensive infusion care for any medical facility

Avanti NXT3 Infusion Pump features varying modes of operation: Vol/rate mode, Time mode, Body weight mode, Optional: Drop rate mode

Unique design allows for a more streamlined appearance and workflow.

Anti-bolus technology for increased safety after sudden occlusion release.

Web ID 13185



Baxter SIGMA Spectrum

EMR Integration and Quick-Search MDL Access

Light-weight and compact pump with bright color screen and lithium-ion battery pack

Safety features include: titration error prevention, check flow information alerts, automatic MDL updates

Standard IV administration set compatible

Web ID 12839





DripAssist Gravity IV

Simplifies IV fluid administration

A monitor and alarm for gravity IV fluid applications.

Precision measurement and monitoring without the complexity of expensive infusion pumps.

Web ID 12445

Syringe

Medfusion 3500

Programmable does limits.

Rapid occlusion detection.

Connectivity with Patient Data Management Systems.

Up to 10 hours internal battery capacity.









Puritan Bennett 840

Enhanced noninvasive ventilation (NIV) for patient comfort

High-performance pneumatics, dual-microprocessor electronics and DualView™ touchscreens.

Designed with rugged and reliable components. Its modular design provides easy serviceability.

Optional compressor in Neonate mode.

Web ID 10611



Siemens SERVO-i

Engineered to evolve with the changing needs of medical professionals

Can easily be adjusted to meet the needs of neonatal, pediatrics, adult patients. It's a high performance, mobile, cost effective respiratory system.

Web ID 11131



Puritan Bennett 980

Engineered to help patients breathe more naturally

Clinicians can use the unit's advanced tools to synchronize the ventilator with patient needs.

Web ID 12792



Pulmonetic LTV 1000 Ease of use and versatility help ensure optimal

Compact and lightweight; 12.6 lbs and about the size of a laptop!

Functions with high and low pressure/low flow oxygen sources.

1 button operation with ventilator pre-sets.

Invasive and non-invasive modes of ventilation for patients as small as 11 lbs.

Also available: Pulmonetic LTV 1200 with built in PEEP.

Web ID 261



Gomco Optivac G180 AC/DC portable suction unit

25-550 mm Hg vacuum range, coupled with greater than 30 lpm flow.

Rechargeable battery with 3 hour run time at maximum vacuum.

Web ID 1513



Schuco-Vac 130 Dependable suction unit

Aspirator's wire basket accommodates a wide variety of

> canisters. Quick-connect tubing for all connections.

> > Web ID 576



DRE DM-660 1/5 horsepower pump

Dual protection system with a float shut-off in the canister lid.

Inline Hydrophobic Filter to prevent back flow of fluid as well as airborne contaminants from entering the pump.

Web ID 9828

Classic Exam Table

Full wrap marine edge top to help control spills.

18-gauge, 304 stainless steel.

14-gauge steel powder coated, weighted pedestal.

Heavy-duty adjustable feet to avoid floor damage.

Dimensions: 48" L x 22" W x 34" H

Web ID 10541



Stainless

Stee

Over Operating Table

Mobile telescoping base for versatility.

Easy, one-hand crank height adjustment.

Surface measures 40" L x 23" W

Overall Dimensions: 40" L x 23" W x 39" - 62" H

Web ID 11075

Mobile Utility Cart

16-gauge 304 stainless steel

3 drawers (Dimensions:13.875" x 14.5" x 5.75").

5" diameter swivel castors, 2 of which have locking brakes.

Top features 3-sided 2" high stainless steel rail for standard size mayo tray.

Web ID 9950



Mobile Gurney and Transport Table

16-gauge, 304 stainless steel with welded under-shelf.

1.5" square steel tubing legs with rolling bumpers.

Dimensions: 48" L x 24" W x 36" H

Web ID 2022



Mobile Exam Table

Includes a welded full turndown undershelf (surface at 8") and 2 self-closing drawers with stainless steel pans.

Web ID 9948



Classic Fold-Up Wall **Mounted Exam Table**



Heavy-duty, 18-gauge, 304 stainless steel. The table easily folds up to wall for storage, and folds down for examinations.

Web ID 9878

Mobile Utility Stand

Constructed of heavy-duty, 16-gauge, 304 stainless steel, and includes a tray rail, and a welded, full turn-down undershelf 12" from the floor.

Web ID 9949



Classic Wall-Mounted Table with Pass-Through Drawer

Constructed of heavy-duty, 18-gauge, 304 stainless steel and features pass-through drawer for added storage.







Cabinet-Style Wet Table with Knee Space

6" deep wet table liner is constructed of 16-gauge, 304 stainless steel.

3 large, full extension drawers and a storage cabinet. Hinges are hidden Euro-style.

Various color finished available.

Available in 48" or 60" with knee space for right or left.

Web ID 10055



16-gauge, 304 stainless steel.

6" deep wet-table insert with stainless steel prep rack.

Hinged cabinet door and 3 self-closing drawers with stainless steel pans.

Also available with 2 cabinet doors instead of drawers

Dimensions: 60" L x 24" W x 36" H

Web ID 9931





DRE Economy Stainless Steel 6" Deep Wet Table

16-gauge, 304 stainless steel.

Stainless steel flanged adjustable bullet feet.

The drain is located at the center, near a faucet.

Includes a stainless steel prep rack.

Dimensions: 60" L x 24.5" W x 36" H

Web ID 9925

Stainless Steel Economy **Bi-Level Wet Table**

16-gauge, 304 stainless steel,

Liner is 15" deep at the faucet side and 6" deep at the knee space.

Dimensions: 60" L x 24.5" W x 34" H

Web ID 9870



Solid Stainless Steel Insert

16-gauge, 304 stainless steel.

Allows your wet table to be used as an exam table.

Web ID 10006

Single-Wide Scrub Sink

Available as wall-mounted (includes mounting brackets) or as a drop-in counter top model (requires use of deck-mount faucet).

Available with a backsplash.

Dimensions 25" L x 20" W x 10.5" H

Web ID 9999



Double-Wide Scrub Sink

Available as wall-mounted (includes mounting brackets) or as a drop-in counter top model (requires use of deck-mount faucet).

Available with a backsplash.

Dimensions: 45" L x 20" W x 10.5" H

Web ID 10002



Basic Bathing Tub with Ramp

16-gauge, 304 stainless steel

Non-removable ramp slide back underneath the tub.

One-piece design with wrap around angled backsplash protects against leaks and water damage.

Dimensions: 48" L x 21" W x 57" H

Web ID 9965



One-piece freestanding tub and backsplash with side-mounted stands.

Includes a removable ramp.

Dimensions: 48" L x 24" W x 38" H

Web ID 9961



Basic Bathing Tub

The one-piece with angled backsplash design protects against leaks and water damage.

Includes a tie-down rail for securing animals.

Dimensions: 48" L x 26" W x 54" H

Web ID 9956



DRE Aqua Quest Walk-in Animal Bath

Fabricated of heavy duty 16 gauge stainless steel.

57" Height; 24" Depth.

Telescoping pull-out ramp for easy convenience.

Accommodates animals up to 300 lbs.

Web ID 9296



Wall-Mount Spout



Wall-Mount Sprayer Web ID 10031





Web ID 10009



Wall Mount Foot-Operated Valve Web ID 10010



Knee-Operated Valve





Pannomed OP Surgical Table

High-end specialty procedure table designed for ophthalmology and advanced orthopedic surgery

Features remote controlled height adjustment from 23.23" to 39".

330 lb load capacity.

Lateral positions up to 40° electric tilting.

Longitudinal electric tilting up to 15°.

Sliding top for ophthalmic or head and neck surgical procedures.

Web ID 641



Flexible positioning with x-ray translucent sliding top and optional arm rests







X-ray translucent tabletop



Pannomed Aeron

Designed for C-arm use and advanced surgical procedures

Fully electric controls allow for height adjustment from 31" to 43".

Lateral to 20° and Trendelenburg and Reverse Trendelenburg to $15^{\circ}.$

Angled table plane can support animals up to 250lbs and provides improved drainage during surgery.

Web ID 330



Lateral Positione



Tension Clamp



Iraction Device



Extension/Insert



Limb Holder



Arm Rests

DRE Edge Flat Top

Affordable table with adjustable height and Trendelenburg positioning.

Table height is electronically adjustable ranging 28" to 40".

Durable stainless steel tabletop helps to maintain sterility in your facility.

Trendelenburg positioning ranges flat to nearly vertical.

14 Tie-down hooks are strategically placed for support during Trendelenburg movements.

Available with optional accessories like OP-rails, infusion pole, leg supports, instrument tray and more.

Web ID 12610





DRE Edge V-Top

Customizable and dependable table with premium positioning capabilities.

Table height is electronically adjustable -28" to 40".

Stainless steel v-top angle adjusts 0 to 90 degrees.

Table top has longitudinal tilt up to 50 degrees.

Trendelenburg positioning ranges to flat to nearly vertical.

Available with optional accessories like OP-rails, infusion pole, leg supports, instrument tray and more.

Web ID 12613

Haico Pro 3

Equine operating table with 4-way tilt to allow clear patient access throughout the procedure.

4-way tilt option: +/- 25%; lateral tilt +/- 15%.

Side panels can be locked by gas hydraulic cylinders.

2-speed lift for unloading and loading of table.

Strong and flexible cover to protect mechanics and electronics.

Web ID 12416

Adjustable and removable side panels, and moveable head support



Visit dreveterinary.com to shop all Haico Equine Surgery Tables.





Pannomed EPT with Scale

Streamlines the exam process

Designed specifically for performance in the veterinary exam and procedure room environment.

Electrical or battery-powered height adjustable foot control.

250 lb load capacity.

Web ID 12705

Pannomed EPT

Mobile treatment table available with electric and battery power

Height adjustable by foot control.

High grade chassis for maximum stability.

250 lb weight capacity.

Scratchproof/cold temperature resistant top.

Web ID 12365





Pannomed ECO Lift

Lift table that allow for height adjustment up to 39"

Height adjustable by foot control.

2 operation options: electric or battery.

Height adjustment from 21" up to 39".

264 lb weight capacity.

Web ID 12383

Millwork Cabinet Style Exam **Table with Knee Space**

The marine edge top constructed of 16-gauge, 304 stainless steel.

Available with drawers or cabinet door options and with knee space at the right or left side.

Web ID 10058



Millwork available in 2 color choices: Shop all tables at www.dreveterinary.com

Millwork Cabinet Style **Exam Table**

The marine edge top constructed of 16-gauge, 304 stainless steel.

Available with drawers or cabinet door options and laminate flush top option

Web ID 10063





Practice Exam Room Package

Five great products, packaged at one affordable price.

Furnish an entire exam room with contemporary style in one convenient package. The One Room from DRE provides a modern base and wall cabinet combination, a veterinary exam table, wall mount diagnostic system, comfortable pneumatic stool and side chair, all color coordinated and ready

There is no better exam room package of equipment at a better price point than The One Room. The equipment alone, backed by a 5-year warranty, is a big deal. The affordable price makes it a great one.

Web ID 12538

Available colors: Sapphire, Roma Beige and Black Made in the USA



Mounted Exam Table

Constructed of 18-gauge 304 stainless steel and includes a 2" high backsplash.



DRE Cabinet Combo

Features stainless steel sink, all laminate construction, soft close hinges and drawers that hold up to 75 lbs.



DRE 5-Leg Pneumatic Stool

Easily adjustable; 15" diameter, padded seat and dual wheel casters for durable performance.



DRE Premium Side Chair

Features a durable, metal, powdercoated frame and comfortable padded seat and backrest.



DRE WS350 Wall Mount Diagnostic System

Easy to install system that puts the most important diagnostic instruments within arms reach.



Millwork Tables



DRE 400 Scale Web ID 12437



DRE 700 Scale Web ID 12438



DRE 700XL Scale Web ID 12439



DRE Crystal 4P

Sharp image acquisition for diagnostic confidence

High resolution, 12" LCD display.

Lightweight design for excellent mobility.

Color flow, pulse wave, and power doppler imaging.

Phased inversion harmonic compound imaging.

Speckle resistant imaging.

Web ID 12185

Ultrasounds



DRE V900

Portable digital veterinary ultrasound system, perfect for Equine use

Software packages for use with canine, feline, equine, sheep, swine, llama and bovine.

7" LCD monitor with pseudo colors 9.

Rechargeable built-in battery; only weighs 5.5 lbs!

Web ID 11714





Sonosite M-Turbo

Sharp image acquisition for diagnostic confidence

Web ID 12738



DRE FS-60

enhanced support of PW imaging

Web ID 12194



GE LOGIQ e

Versatile and shared-services with CW Doppler.

15" LCD screen for clarity and accuracy.

Web ID 12096









We carry a wide selection of new and refurbished ultrasound probes. Visit www.dreveterinary.com to shop now!

DRE Infantia NB1

Features servo-control that minimizes disturbance to the patient

Touch switch panel with LED digital display.

Set temperature, real temperature and auxiliary temperature are displayed separately.

Multiple self-checking alarms with audible and visible.

Heating power rate indicates 0 - 100%.

Quiet windows reduce disturbance to the baby during nursing.

Web ID 12109

GE Ohmeda Care Plus

Integrates microprocessor-based controls with a modular design

Microprocessor-based control system for accurate thermoregulation.

Self-test functions at power-up and during normal operation.

Patient control (Servo) mode and air control (Manual) modes.

Continuous positioning from 0° to 12°.

Optional active double-wall construction.

Web ID 12111





Air-Shields C-2000

Delivers heat and humidity to create the best possible thermal-neutral environment

Bidirectional air flow for consistent heating and humidifying.

Optional dual access doors - allow access from either side, expediting care.

24-hour Data Trends – This unit facilitates record keeping for air and skin temperature, oxygen, humidity, heater power, and weight changes.

Internal Noise Level less than or equal to 47dBA – Maintains a supportive environment for both patient and caregiver.



DRE Comfort Series

Blanket and fluid warmers

Rapid warming time and uniform heating.

Digital controls and display.

Made of 100% USA Stainless Steel.

Refurbished options available.

2-year warranty included.



Comfort Dual View

Web ID 582





Comfort VC9

Web ID 580



Comfort Dual

Web ID 579





DRE Stationary DR

Delivers seamless acquisition, diagnostic image processing, viewing, and image management

High frequency generator system designed for use with flat panel detectors.

4-way floating tabletop for superior x-ray positioning with minimal disturbance to the subject.

Captures clear x-ray images in only 3 seconds.

Easy-to-use touchscreen for quick navigation through x-ray protocols.

Features computer-controlled technique input.

Web ID 12928





Comfort VC21

Web ID 586



Comfort C5

Web ID 583



Comfort VC5

Web ID 581

Warming Blankets

available at

eveterinary.com



Web ID 12680



Santu Digital MDDS **Cloud Storage System**

Web ID 12782



Bair Hugger 505

Safe, quiet, and effective

Small size frees up more usuable workspace and allows storage to become easier.

Light weight allows for easy transport and set-up.

Web ID 1200





DRE Wildcat 750

Lightweight, space-saving and intuitive

Main unit weighs less than 10 pounds, making it ideal for transport and mobile warming.

Easy-to-use interface designed for quick setup and efficient operation.

Web ID 12700

Equine Digital X-Ray

Web ID 12852



Battery Powered Digital X-Ray

Web ID 12881



Dental X-Ray System

Assures you get the best image the first time, every time

Available in mobile and wall mount configurations.

Advanced dual microprocessor system and a high frequency DC system provide a sharp and crisp image gaulity.

Flexible exposure system triggers from distance with no-shift image position.

30 pre-programmed techniques enhance flexibility.

Web ID 13274



HTP-1500

The perfect solution for veterinary warming

4 pad sizes available.

Extremely accurate, can be calibrated to within 1.0° F.

3 temperature safety units to prevent overheating. Web ID 13160









X-Ray

DRE

DRE Wireless Portable X-Ray System

Excellent imaging, quality, and accuracy

Includes a flat panel detector, touchscreen monitor with software, and a high-frequency x-ray generator housed in a durable case.

Acquisition and transfer of images within 5 seconds.

Wireless radiography detector with dual band wireless transmission.

Generator features easy-to-use operating console, allowing clinicians to easily select and change x-ray parameters.

Web ID 13083



Wireless Mixed Practice X-Ray Plate

Fits easily into existing cassette trays for a simple and efficient upgrade

Provides acquisition and transfer of high quality images in about 4 seconds.

Csl direct-deposition technology for superior image quality.

Unique wireless technology eliminates wiring to the generator.

Rubber insulated frame and strong aluminum-alloy case protects while preserving the panel's slim, lightweight design.

Extra long battery life provides 1,400 shots per charge with 7 hours of standby time.

Web ID 12678






Protective Apron Web ID 12695



Portable X-Ray Stand



Immobilizers

DRE Veterinary will soon be Avante Animal Health

We are excited to announce that moving into 2019, **Avante Animal Health** will officially be adopted as the name for DRE Veterinary. We will become the Animal Health division of **Avante Health Solutions**. a growing global brand that adds a host of exciting new products and services to our portfolio. At a time when budgets are pinched and quality is critical, we are working to provide you with a better alternative to acquiring and maintaining your veterinary equipment. Our new role within Avante allows us to strengthen our buying power, leverage partner relationships, and expand our technical teams. This transition will greatly benefit our customers and allow DRE to strengthen the value that One Source can provide.

Thank you for trusting us with your business, we very much look forward to building on that foundation in the years to come!



One source for veterinary equipment solutions



Surgical Instruments

German bandage and operating room scissors.

German towel clamp, extracting and magill forceps.

German needle holders, scalpel blades, retractors, nail nippers, cutters, chisels, OB instruments, rongeurs and more.

German Stainless Steel Instrument Sets

Knee Pack Eye Pack Osteotome Pack Orthopedic Pack Surgery Pack Canine and Feline Spay Packs



Surgical Blades



and carbon

Instrument Wraps



quality two-ply and safety surged

Surgical Masks



Endotracheal Tubes



Disposable Gloves



Multiple sizes 'and styles available

Syringes and Needles



I.V. Catheters

Nylon Muzzles



Veterinary Bandage Wraps



Liquid Tissue Adhesive



Pet Shampoos



Skin Staplers



Elastikon Tape



Zonas Porous Tape



Sundry Jars



Sun-Med Diagnostic Kit





Sterile/Non-Sterile

Rx Containers



Lightweight transparent

Stethoscopes



Orthopedic Stockinettes



Welch Allyn Diagnostic Sets



Clinical Thermometers



Shop online for hundreds of products from the brands you trust. Order supplies and accessories anytime at **dreveterinary.com**.

BIOMEDICAL FIELD SERVICES







Equipment not working properly? We can fix it.

Time for preventive maintenance?

We're on our way.

Setting up a new O.R.?

Allow us.

On-site repair and service done right.

Product photos and descriptions are for informational purposes only. The picture shown is a representation of the product, not the actual product in stock. The product description is not intended to match the exact configuration and options that will be quoted by your sales representative. Please base your purchasing decision on specific information you receive from your sales representative.



Multiple

sizes

Economy Collars









MONITORS



LIGHTING



TABLES



ELECTROSURGICAL

An Avante Health Solutions Company



DENTAL ULTRASOUND

Reliable anesthesia machine with a small footprint

Available with anesthesia vaporizer, optional bain circuit adaptor and in an MRI-Compatible model.





Louisville, KY 40223

2601 Stanley Gault Pkwy, Suite 101

PRSRT STD US POSTAGE PAID LOUISVILLE, KY PERMIT #1810









